

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	((HI ROSHI) near2 (OOMURA)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/04/21 09:06
S2	13922	plug near2 play	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:25
S3	14796	(plug near2 play) or upnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:26
S4	4628	S3 and network and driver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:26
S5	442	S3 and network and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:30
S6	0	((("not" near2 support) with ((plug near2 play) or upnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:37
S7	1783	((support) with ((plug near2 play) or upnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:38
S8	2224	((support or compatible) with ((plug near2 play) or upnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:38

S9	93	S8 and network and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:38
S10	2572	((support or compatible) with ((plug near2 play) or upnp or pnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:39
S11	95	S10 and network and (print \$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:39
S12	3	"20020156947"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:53
S13	100	((comply) with ((plug near2 play) or upnp or pnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:01
S14	6	S13 and network and (print \$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:01
S15	72666	(plug near2 play) or upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:49
S16	149	S15 and (network near2 address) and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:50
S17	19	S16 and (virtual near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:50

S18	72666	(plug near2 play) or upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:02
S19	149	S18 and (network near2 address) and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:02
S20	56	S19 and (legacy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:02
S21	62289	upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:11
S22	92	(upnp or pnp) near2 printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:11
S23	2	10/935249	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:39
S24	3	"20040032611"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:40
S25	2	"20010043358"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:41
S26	9	printer with (plurality near4 virtual) with function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:33

S27	230	printer with ((multiple or many or plurality) near4 virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:41
S28	72666	(plug near2 play) or upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:41
S29	16	S28 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:41
S30	5135	device with ((multiple or many or plurality) near4 virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:51
S31	4	S30 same S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:51
S32	171	S30 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:54
S33	977882	mfp or (multi function peripheral) or copier or printer or (image forming apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:56
S34	87	S32 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:56
S35	314	virtual with S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 11:01

S36	86	S35 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 11:02
S37	26	printer with (plurality near4 logical) with function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 13:37
S38	139	printer with ((multiple or many or plurality) near4 logical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 13:37
S39	0	S38 same S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 13:37
S40	15	S38 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 13:38
S41	11801	(358/1.15).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/23 09:22
S42	3308	(358/1.13).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/23 09:22
S43	1183	(710/36).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/23 09:22
S44	500	(710/11).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/23 09:22

S45	230	printer with ((multiple or many or plurality) near4 virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:23
S46	89	S41 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:23
S47	54	S42 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:23
S48	92	(upnp or pnp) near2 printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:24
S49	1	S43 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:24
S50	1	S44 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:24
S51	1029108	mfp or (multi function peripheral) or copier or printer or (image forming apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:21
S52	183	(support\$4 or compatibl\$4 or compl\$4) near3 ((plug near2 play) or upnp or pnp) same S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:21
S53	94	(support\$4 or compatibl\$4 or compl\$4) near3 ((plug near2 play) or upnp or pnp) with S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:22

S54	99	(support\$4 or compatibl\$4 or compl\$4) near5 ((plug near2 play) or upnp or pnp) with S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:28
S55	114	(support\$4 or compatibl\$4 or compl\$4) with ((plug near2 play) or upnp or pnp) with S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:29
S56	823	((plug near2 play) or upnp or pnp) and S51 and ((id or identification) with function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:41
S57	61	((plug near2 play) or upnp or pnp) and S51 same ((id or identification) with function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:41
S58	244	((plug near2 play) or upnp or pnp) and S51 same (driver with function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:18
S59	133	((plug near2 play) or upnp or pnp) and S51 same (driver with function) and (@ad< "20040419" or @rlad< "20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:18
S60	75825	(plug near2 play) or upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:46
S61	16	printer with ((multiple or many or plurality) near4 virtual) and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:46
S62	118	((plug near2 play) or upnp or pnp) and S51 with virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:48

S63	1029966	mfp or (multi function peripheral) or copier or printer or (image forming apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/14 10:37
S64	5713	((plug near2 play) or unnp or pnp) and S63 and function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/14 10:37
S65	823	((plug near2 play) or unnp or pnp) and S63 and (function with (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/14 10:48
S66	105	S63 and ((plug near2 play) or unnp or pnp) same (function with (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/14 10:49
S67	1030505	mfp or (multi function peripheral) or copier or printer or (image forming apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:00
S68	29	S67 and (legacy) same (function with (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:00
S69	24	S67 with (legacy) and (function with (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:02
S70	72141	(mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) and (plural\$4 or multi or multiple) near2 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:06
S71	0	((mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) with leagacy) and (plural\$4 or multi or multiple) near2 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:07

S72	0	((mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) with leagacy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:07
S73	568	((mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) with legacy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:07
S74	69	((mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) with legacy) and (plural\$4 or multi or multiple) near2 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:07
S75	857	(710/240).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:04
S76	1	S75 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:04
S77	1	S75 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:04
S78	36	((HI ROSHI) near2 (OOMURA)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/12/16 16:05
S79	7	S78 and @pd>"20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05
S80	12820	(358/1.15).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:05

S81	1031	S80 and @pd> "20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05
S82	3572	(358/1.13).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:05
S83	264	S82 and @pd> "20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05
S84	1276	(710/36).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:05
S85	93	S84 and @pd> "20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05
S86	540	(710/11).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:05
S87	40	S86 and @pd> "20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05

EAST Search History (Interference)

< This search history is empty >

12/ 16/ 2009 4:10:05 PM**C:\ Documents and Settings\npachol\ My Documents\ EAST\ Workspaces\ app10599653.wsp**